





PREMIUM ACCESSORIES



SEO

THE PREMIUM COLLECTION

More than a spark of grandeur or a splash of opulence, our premium collection embodies the height of aesthetic and technological advancement. From the hands of world renowned designers, emerge lines of finest handles forged through state of the art manufacturing techniques. Beyond door handles, the intricate machination between mechanical marvels and technological breakthrough gave way to a series of inventive smart products. All of which are designed to ensure unsurpassable level of beauty, convenience and security.

(54)







TABLE OF CONTENT

Introduction

- 1 Introduction
- 2 Table of Content

Premium Handle

- 3 Vallen Martinelli Handle
- 13 Frascio Handle
- 16 ISEO Handle

ISEO Lock & Cylinder

- 19 Mortise Lock
- 22 Multiblindo
- 24 Cylinder
- 29 Padlock

Steel Door Accessories

- 30 Panic Exit Devices
- 37 Fiam

ISEO Electronic System

- 40 Libra Smart
- 41 Aries Smart & Stylos Smart
- 42 Argo & Vega

^{*}Product images only serves as illustration. Actual product may differ.





HANDLE SERIES

A timeless briliance that continues to fascinate through the ages. With intricate ornaments and gentle curves that drew heavy inspiration from classical era, Classic Handle Series add a profound dignified elegance to your homes.





R983 (OLV - M1)



993/558 (OFA - M69)



R974 (OLS - M33)




RUSTICA (FA)



CHIARA (OFA - M69)



ALEXANDRA (OLV - M1)









AB AF





Appia





ogs / pgs BSS

Ardea





ogs / pgs





Contemporary muse that pushes the boundary of beauty with captivating simplicity. Its straightforward design spelt elegance eloquently.



ICEBERG (ZCL)



MORFEO (ACL)



LEONARDO (ACP)



FRAME (F1 - SAT)




CARTESIO (OCL - M4/F1)



INFINITA (OCS)















ALLEGRA

Black + Polished Chrome Brass and Stainless Steel





ARIA ROUND

Satin Chrome Brass



ARIA SQUARE

Satin Chrome Brass



EIDOS ROUND

Satin Chrome Brass



EIDOS SQUARE

Polished Chrome Brass







ALESSANDRA

Silver / Polished Chrome Zamak



ELY Satin Chrome Brass




Satin Chrome / Satin Stainless Steel Zamak



KUMA Satin Chrome Brass



PINAX Satin / Polished Chrome Zamak





Lever Handle Rose



DEDA Satin Chrome / Polished Chrome



Polished Chrome Zamak Available : Satin Chrome Zamak

Lever Handle Solid Rose



NEMO atin Chrome



RIVA Satin Stainless Steel Stainless Steel SUS 304 Available: Titan Protection with Brass Brass




SILVIA Satin Stainless Steel Stainless Steel SUS 304 Available: Polished Stainless Steel Stainless Steel SUS 304




STREAM Titan Protection with PVD Brass





NEMO Satin Nickel Brass



MARWA Antique Brass

(60)





LOCK & CYLINDER

Mortise Lock & Multipoint Lock

Locks for Wooden Frames









291105xxL (40, 50, 60)



291205xxL (40, 50, 60)



291105xxGR (50, 60)



291105xx2 (40, 50, 60) INOX



291205xxN (40, 50, 60)



291205xxGR (50, 60)







Latch Right : 7A3201402.D (40mm) Latch Left : 7A3201402.S (40mm)

Latch : 795500402 (40mm) Roller : +040804 Latch : 795500602 (60mm) Roller : +040814




Multiblindo Classic





By applying an upwards force, equivalent to one metric ton, breaking point "B" yields letting pins "C" insert themselves into their respective spaces in the plate consolidated to the lock case. The deadbolt and the case fundamentally become one single body.

The deadbolt can no longer enter the lock case when its rotation axis is moved, as is interferes with the front plate "E".





A UNIQUE SECURITY CONCEPT

With its exclusive bayonet bolt, anti-picking system and close-on-all-side steel locks case.

AN UNPRECEDENTED EASE OF USE

Supported by a system that reduces turning key force required.

UNEQUALED VERSALITY

Latch, roller latch and plug interchange ability.

DESIGNED AND TESTED

According to the European standards EN 12209:05 (lateral locking version) and prEN 15686 (3-point locking version). It resists lateral forcing with a thrust of over 1000 kg and a front load of over 600 kg.

The corrosion resistance is more than 240 hours in a saline environment.


Endurance: tested over 200,000 opening and closing cycles under 120N load.













(500









F9

- Multi-profile system
- Registered profile (Without time limit)
- Antidrill pin



F99

- Multi-profile system
- Registered profile (Without time limit)
- Antidrill pin
- Up to 5 side pins
- Cylindrical hole in the key



F90

- Multi-profile system
- Registered profile (Without time limit)
- Antidrill pin
- Up to 5 side pins



F900

- Multi-profile system
- Registered profile (Without time limit)
- Antidrill pin
- Up to 5 side pins
- Magnetic coding



F9000 Mechatronic Cylinder



The most advanced ISEO cylinder combines mechanical and electronic features into a highly practical and secure cylinder.


- Mechanical coding compatible with all CSF cylinders.
- · Data and energy transfer without electric contact.
- No wiring, energy is supplied by the key (fed by lithium batteries).
- Programming by software and PC interface.
- · Multiple functions for access control. (time slots, events detection, keys enabling and disabling).

CYLINDERS PROFILES

- Endless combinations
- · Different security levels
- · Utmost security, anywhere: hospitals, schools, shopping centres, research centres, office buildings & banks.
- · Versatility and flexibility.
- A universal system.
- Registered and patented profiles. Applicable to all cylinders.

















PROPERTY CARD

PROGRAMMER KEY

USER'S KEY

KEY TO THE FUTURE

SOFTWARE

F9000 Mechatronic Cylinder combines the reliability of mechanics with the flexibility and convenience of electronics to achieve an unprecedented security level. F9000 meets all the security requirement for a complex access system.



KEY WITH A UNIQUE PERSONALITY

F9000 Mechatronic Cylinder is able to recognize pre-programmed key and recording exactly who and when an assigned key accessed the lock. It also able to allocate time slots, ensuring no unauthorized access is possible.



EASY PROGRAMMING

Programming by software and PC interface is very easy. If a key is lost, simply disable the access right of the lost key through the








SECURITY AND CONTROLS

F9000 Mechatronic Cylinder allows different security levels and has multiple functions for access control such as time slots, event detection, keys enabling and keys disabling. It ensures that only authorized person at pre-programmed time slots has access in the building.



UTMOST CONVENIENCE

F9000 Mechatronic Cylinder can directly replace the old regular cylinder. It works without any wiring since the energy is supplied by the key. All data and energy transfer are conducted without electric contact.



ENDLESS POSSIBILITIES OF EXTENSION

F9000 Mechatronic Cylinder versatility and flexibility allows the system to expand easily.




ISEO F9000 Mechatronic Cylinder is the ideal solution for access control in residential and public buildings.

















R50

- 11 + 3 pin cylinder and reversible flat key.
- Patented key with anti-duplication insert.
- Antidrill cylinder.
- 5 KEYS.
- Additional keys are cut by codes is ISEO key card.
- 1 + 3 KEYS or 1 + 5 KEYS.

(1 Contruction key or first-use key 3 or 5 Owner keys or second-use keys the process is irreversible).

T.K

(Can be re-coded with number of keys chosen by the customer for first, second and third-use keys the process is irreversible).



R7

- 11 + 3 pin cylinder and reversible flat key.
- · Patented active pin.
- · Antidrill cylinder.
- 5 KEYS.
- · Additional keys are cut by codes in ISEO key card.
- 1 + 3 KEYS or 1 + 5 KEYS.

(1 Contruction key or first generation key 3 or 5 Owner's keys or second-use keys the process is irreversible).

• T.K

(Can be re-coded with number of keys chosen by the customer for first, second and third-use keys the process is irreversible).







R6

- 6-pin cylinder and reversible flat key.
- Anti drill Body.
- Stainless Steel Pins.
- 5 KEYS
- Additional keys are cut by codes in ISEO key card.



F6

- Fully made in Italy with high precision and superior quality control, comply to EN standards.
- Quality Brass body, brass keys, mushroom pins, mixture of body pins to enhance security.
- Minimum actual key differ combination 46,000.



-5

- Fully made in Italy with high precision and superior quality control, comply to EN standards.
- Quality Brass body, brass keys, mushroom pins, mixture of body pins to enhance security.
- Minimum actual key differ combination 30,000.

SEO



Padlock









Panic Exit Device For Glass Door



BELVEDERE

(Assembly Kit for Glass Doors)

Technological innovation of ISEO allows easier and safer installation of panic exit device even in traditionally restricting door materials such as glass door. The BELVEDERE series is especially designed for frameless glass door, ensuring an additional level of safety in the event of emergency.

BASE-INOX



INNOVATION

Assembly kit for antipanic glass doors without frame. (Base, Push, Push-Bolt, Pad and Pad-Bolt) 1 points, 2 points, 3 points high and low. 3 points side and together of external operation.

DESIGN & SAFETY

The most advanced design with maximum protection.

COLOUR

Completion nickel gloss.



TRIM-INOX 94011002T



TRIM-INOX **Belvedere series** 94021002





94100536



94100516 External Right-Hand




94100526 External Left-Hand

Panic Exit Device

PANIC EXIT. PALMO.

ISEO Panic Exit Device adhere to stricter European Union standard. It able to function under extreme heat, safeguarding precious exit accesses on the event of catasthropic emergency.













+



PALMO 949000050379



PUSH PALMO







9301100xT





Panic Exit Device







PAD 9462020x04

PAD 9466020x04





TRIM 94011005T






PAD-BOLT 9472020x04

TRIM 94021025

TRIM 9402200xT

Most Popular Set





- ISEO PALMO PANIC EXIT **DEVICE WITH BAR**
 - ISEO PALMO 949000060379 + MTS



- DOOR CLOSER

 - DEKKSON DCL 105 NHO (100 KG)
 DEKKSON DCL 525 NHO (40-100 KG)
 FIRE-RATED



- **ESCUTCHEON**
- DEKKSON D01 SSS



- **STAINLESS STEEL HINGE SUS 304**
 - DEKKSON ESS DL 4,5x4x3 mm 2BB SSS



- **KNOB**
 - DEKKSON KNOB ONLY SSS



- CYLINDER
 - ISEO HC50mm SN

Panic Exit Device







BASE 9411113774A (Metallic Grey)



BASE 9414000504 + 945928



BASE BOLT 9432000504 (BLACK) + 945928 (RED) 9432083774 MET GREY



BASE-INOX 9414000524



PUSH



PUSH BOLT 9452117584 + 94300205





PUSH TOP & BOTTOM LATCH 942208433 TA

Most Popular Set





- ISEO IDEA PANIC EXIT DEVICE WITH BAR
 - ISEO Single Point Idea 941111334 A
 ISEO Push Panic 942411758T BK



- STAINLESS STEEL HINGE SUS 304
 - DEKKSON ESS DL 4,5x4x3 mm 2BB SSS



- DOOR CLOSER

 - DEKKSON DCL 105 NHO (100 KG)
 DEKKSON DCL 525 NHO (40-100 KG) FIRE-RATED




TRIM FOR IDEA PANIC EXIT DEVICE (HANDLE & KEY)

ISEO Trim External Control:

- 94011003T (Grey)
 94011005T (Black)



Security Locks for Armoured Doors









Access Control



Transponder Reader



Keypad



Radio Control



Internal Programming Logic



I/O Interface Card (In & Out)

Deviator



22.40.00



99.668.FP1



9999.00.15

Today safety is also intelligent. The new xIR 2008 models, unlike the previous model, offer various ways off managing the access code.

Based on your specific needs you can choose whether to create a door that can be opened using a transponder reader (TAG), a numeric code (backlit keypad for optimum night vision) or a rolling code radio control, that can even interact with alarm systems and other access barriers such as gates, garage doors, etc, even when it's already installed.

For the more demanding, xIR can also communicate and exchange data with all domotic systems using an I/O card.

In developing this new vision we have given ample space to design and the appearance of visible accessories in order to avoid altering the door's final appearance and make it compatible with normal construction standards.

The result is that all electronic access controls have been inserted in the same faceplate that is normally used to decorate the cylinder and protect is externally. In the event of a power cut or if any other electrical problem should prevent it from working correctly, no problem: for your safety you can always open and close you home using traditional mechanical key, which if you wish can accompany you discreetly at all times inside the transponder xKey.










OPEN WITH SMARTPHONE AND MIFARE CARD THROUGH ARGO APP

- · Libra is a stand-alone access control system with RFID Multistandard credential reader and signalling LED.
- It fit with most European profile cylinder locks.
- Harmless installation and replacement, with no wiring (it works with batteries).
- · Unique and innovative design, 2 colours and 4 finishes available.
- · Modular system for a simple and rapid customized configuration with SIRIO software.
- On site software upgrading.
- · Optional heavy duty usage (All weather version; IP66).
- Libra responds to the challenges of the present italian design: it is a project which pays attention to people, environment, challenges of technology innovation and user real needs, which is the authentic economic and ethic sustainability.







ELECTRONIC TRIM SET

Supported by ISEO ARGO App and VEGA System

Aries Smart with RFID Multistandard Credential Reader is a flexible smart lock that fit in most doors (wood, aluminium, iron) thanks to its narrow profile. It is very easy to install as it requires no wiring. With sleek modern look, Aries Smart is a reliable solution for residentials, offices and public facilities.



UP TO 50.000 OPERATIONS



LOW INSTALLATION COST



NARROW **PROFILE**




ARIES Code: 00Elxxx 10xx

MULTIBLINDO EASY Code: 7A32xxxx2.D/S

Stylos Smart

Stylos Smart is a smart credential reader that easily integrate with ISEO Lockbbus Interface such as the Thesis 2.0 electro-piston. It serves as the ideal solution for offices, small companies, and residential building.





USER CARD



MASTER CARD



CODE: 5E1210103



CODE: 5E1210403



CODE: 5E1110103



CODE: 5E1110403





Electronic Solutions





ISEO ARGO APP: THE NEW WAY TO MANAGE YOUR DOOR

ARGO app on iOS and Android smartphone allows user to manage, monitor and open all ISEO Smart Locks (Libra, Aries, x1R SMART, Stylos SMART, Thesis 2.0, etc.) through smartphone without internet connection or any additional services.

OPEN WITH SMARTPHONE

With Bluetooth Smart technology that allows doors to be opened from up to 10 meters.

OPEN WITH CARDS OR TAGS

Convert ISEO cards or any existing MIFARE cards as door keys.

MANAGE USER LIST

Manage access rights for up to 300 users.

INVITATIONS

Allows colleagues or employers to self-register as users through invitation code.

REMOTE KEY DELIVERY

Send virtual key at any time and from anywhere. Allow guests to access the door.

FREE SOFTWARE UPGRADE


Continuous free application update that enhances function and usability.



VEGA SYSTEM: WEB-BASED ACCESS CONTROL SYSTEM

VEGA system is pre-configured inside Atlas Box, allowing the system up and running in minutes without needing any additional software or hardware. VEGA web server gives you the freedom to manage and control accesses anywhere and anytime. VEGA features a user-friendly interface to manage your entire assess control system from any mobile devices or desktop computer with web browser.







(540)

(540)

(St)

(5k)

(5k)







1540

Available at :

(54)

ISEO/VM/FR/SEM2/09/2024