



ELECTRONIC LOCK

www.dekkson.com



CONTENT

| CONTENT | |
|------------|---|
| | 000000000000000000000000000000000000000 |
| 02 | CARD LOCK HOTEL CLH 2001 MF - Specification CLH 2001 MF |
| | - CLH 2001 MF Accessories |
| 03 | CARD LOCK HOTEL CLH 2201 MF - Specification CLH 2201 MF |
| | - CLH 2201 MF Accessories |
| 04 | CARD LOCK HOTEL CLH 2200 MF - Specification CLH 2200 MF |
| 5 4 | - CLH 2200 MF Accessories |
| 05 | CARD LOCK HOTEL CLH 2000 MF - Specification CLH 2000 MF |
| 00 | - CLH 2000 MF Accessories |
| 06 | CARD LOCK HOTEL CLH 1001 RF / TM - Specification CLH 1001 RF / TM |
| - 00 | - CLH 1001 RF / TM Accessories |
| 07 | ELECTRONIC LOCK EL 900 ID |
| 07 | - Specification EL 900 ID |
| 08 | ELECTRONIC LOCK EL 9112 MF FIN PASS |
| UO | - Specification EL 9112 MF FIN PASS |
| 09 | ELECTRONIC LOCK EL 9204 MF FIN PASS BT |
| U 7 | - Specification EL 9204 MF FIN PASS BT |
| / 11 | ELECTRONIC LOCK CONNECTION ELC 9318 MF PASS BT |
| 11_ | - Specification ELC 9318 MF PASS BT |
| 10 | ELECTRONIC LOCK GLASS ELG 9107 MF FIN PASS RC |
| 13 | - Specification ELG 9107 MF FIN PASS RC |
| 4 5 | ELECTRONIC READER CONNECTION ERC 9308 MF PASS BT |
| 15 | - Specification ERC 9308 MF PASS BT |
| 4 17 | |
| 17 | OTHER ACCESSORIES |
| JEZ - | |
| 18 | PROJECT REFERENCES |
| | |





SPECIFICATION HANDLE FRONT **STAINLESS STEEL SUS 304** MORTISE 185

ACCESSORIES



ENCODER READ / WRITE 2001 MF

State of the art auto-card detection technology. Ideal for use with multiple stations.



AUTHORIZED CARD

Keycards registered to DEKKSON software for Cardlock Hotel setup.



CONTACTLESS CARD 2001 MF

Durable contact-free Philips Mifare Technology. Also available as plastic key fob, wristwatch or epoxy sticker.



RECORD / INFORMATION CARD 2001 MF

Upload and download both lock and computer information data easily.



CARD READER ACCESS CONTROL 2001 MF

Limit the access right of users and increase the security level. Door access can be operated with one card.



SOFTWARE

Easy to install. Compatible with Windows 2000 / 2003 / XP Pro / 7 / Vista / 8 / 10.



ES SWITCH 2001 MF

Energy saving switch all mifare. Compatible for CLH 2000 MF, 2200 MF & 2201 MF.



ELEVATOR READER 2001 / 2201 MF (FOR 16 FLOORS)

Mini external reader is available to support lift panel.

Allow access card (mifare) to double as elevator access.


Same management software with hotel lock. Allow up to 2000 entries record.

(Available: For 32, 48, 64 FLOORS)





SPECIFICATION



STAINLESS STEEL SUS 304

ACCESSORIES



ENCODER READ / WRITE 2201 MF

State of the art auto-card detection technology. Ideal for use with multiple stations.



AUTHORIZED CARD

Keycards registered to DEKKSON software for Cardlock Hotel setup.



CONTACTLESS CARD 2201 MF

Durable contact-free Philips Mifare Technology. Also available as plastic key fob, wristwatch or epoxy sticker.



RECORD / INFORMATION CARD 2201 MF

Upload and download both lock and computer information data easily.



CARD READER ACCESS CONTROL 2201 MF

Limit the access right of users and increase the security level. Door access can be operated with one card.



SOFTWARE

Easy to install. Compatible with Windows 2000 / 2003 / XP Pro / 7 / Vista / 8 / 10.



ES SWITCH 2201 MF

Energy saving switch all mifare. Compatible for CLH 2000 MF, 2001 MF & 2200 MF.



ELEVATOR READER 2001 / 2201 MF (FOR 16 FLOORS)

Mini external reader is available to support lift panel.

Allow access card (mifare) to double as elevator access.

Same management software with hotel lock. Allow up to 2000 entries record

(Available: For 32, 48, 64 FLOORS)


MORTISE





SPECIFICATION HANDLE BACK FRONT 124.6

STAINLESS STEEL SUS 304



Micro-motor
 Designed to increase
 and decrease battery
 consumption.

2. Square tongue standard in terms of flexibility and durability.

Stop tongue
 Prohibit object to be inserted through space between mortise and frame.

Windproof, anti-lockpick, provide door opening record and normal opening

ACCESSORIES



ENCODER MF CARD READ WRITE 2200 MF

State of the art auto-card detection technology. Ideal for use with multiple stations.



AUTHORIZED CARD

Keycards registered to DEKKSON software for Cardlock Hotel setup.



CONTACTLESS CARD 2200 MF

Durable contact-free Philips Mifare Technology. Also available as plastic key fob, wristwatch or epoxy sticker.



RECORD / INFORMATION CARD

Upload and download both lock and computer information data easily.



SOFTWARE

Easy to install. Compatible with Windows 2000 / 2003 / XP Pro / 7 / Vista / 8 / 10.



ES SWITCH 2200 MF

Energy saving switch all mifare. Compatible with CLH 2000 MF, 2001 MF and 2201 MF.



ELEVATOR READER 2200 MF (FOR 16 FLOORS)

Mini external reader is available to support lift panel.

Control elevator access.

Same management software with hotel lock. Allow up to 2000 entries record.


(Available: For 32, 48, 64 FLOORS)








SPECIFICATION



MORTISE





High Quality Material

Durable mortise made of high strength stainless steel, steel alloy and quenching steel

Reversed Mortise Suitable for doors with more than 38 mm thickness

STAINLESS STEEL SUS 304

ACCESSORIES



ENCODER READ / WRITE 2000 MF

Read and write cards instantaneously. Made of ABS insulating material. Works on Windows 95/97/98/00/ME/XP/Vista/Win 732 & 64 bits/Win 10.



CONTACTLESS CARD 2000 MF

Allow different lock-opening functions. Can be reported lost, recycled and reused.



RECORD/INFORMATION CARD 2000 MF

INFORMATION: Retrieve all information from the card lock. RECORD: Retrieve all unlocking record, including mechanical unlock.



SOFTWARE

Easy to install. Compatible with Windows 2000 / 2003 / XP Pro / 7 / Vista / 8 / 10.



USB for SOFTWARE 2000 MF

A key to lock software as double security for your management.



TERMINAL 3/1 2000 MF

Issues clock card, installation card and download unlocking records.



ES SWITCH 2000 MF

Energy saving switch all mifare. Compatible with CLH 2001 MF, 2200 MF and 2201 MF.



CARD READER ACCESS CONTROL 2000 MF


Limit the access right of users and increase the security level. Door access can be operated with one card.



ELEVATOR READER 2000 MF (For 16 FLOORS)


Allow access card (mifare) to double as elevator access.

Same management software with hotel lock. Allow up to 2000 entries record. (Available: For 32, 48, 64 FLOORS)









STAINLESS STEEL SUS 304



ACCESSORIES



DATA RECORDER CLH 1001 RF/TM



CONTACTLESS CLH 1001 RF/TM



ENCODER RF/TM CARD READ & WRITE

Program or issue cards for the locks.



SOFTWARE



ES SWITCH RF 809

Energy saving switch all RFID Proximity / temic card.







ELEVATOR READER CLH 1001 RF/TM Available: 48, 64 Floors


COMPONENTS OF LOCK SYSTEM







SPECIFICATION



STAINLESS STEEL SUS 304

Made of Stainless Steel.

Designed to replace old mechanical lock easily without changing the mortise and the door.



FEATURES



Contactless card usable up to 100.000 times



Battery power AAA Alkaline 4 pcs Last 10-12 months depends on usage & environment



Low voltage warning



Autolock 7 seconds after unlocking



Handle & plate made of Stainless Steel SUS 304



Total 250 User (5 Group x 50 user)

INSTALLATION DRAWING




Supported by Mortise with backset length of 40 mm, 50 mm, 60 mm, etc. Such as MTS DKS IL DL8485, MTS DKS IL DL8585, MTS DKS IL DL8685, etc. (Mortise not included)














ACCESS



Fingerprint



Password



Mifare card (E-KTP, E-Toll, Flazz, etc.)



Mechanical key

FEATURES



Turn up handle for lock



Low Power Warning (Micro USB Backup Power)



Total 350 Users



Battery Power AA Alkaline 4/8 pcs



Anti Peeping Code



Voice Direction



Always Open

CARD ID LEVEL MANAGEMENT



Master



Usual user














ACCESS



Fingerprint



Password



Mifare card (E-KTP, E-Toll, Flazz, etc.)



Mechanical key

FEATURES



Mobile APP support



Low Power Warning (Back up 9V Battery)



Total 200 Users



Battery Power AAA Alkaline 4 pcs



LED Display



Anti Peeping Code



Turn up handle for lock



Access Sharing



Unlock History

CARD ID LEVEL MANAGEMENT





Usual user









ELECTRONIC SPECIFICATION

Swiss-Made Motherchip ST105
With 128MB memory for stable and fast operation.

Sensor Chip NXP

Dutch-made card module, encrypted to ensure security.

- Coated with Silicone Anti-3, resistant of water, dust and humidity.
- Tested with 48-hours accelerated aging to ensure quality.
- Energy efficient design, last up to 8 months with static 45 watt consumption.














MORTISE



ACCESS



Bluetooth



Password



Mifare card E-KTP, Flazz, E-Toll Pay Wave, etc.



Mechanical key

FEATURES



Mobile APP support
App Store
Google Play



Unlock History



Access Sharing (Password & e-Key)



Low Power Warning (Micro USB backup power)



Long Range Mobile Phone Lock System



Turn up handle for lock



Real Time Notification Records



Unlimited User



Anti Peeping Code



Battery Power AA Alkaline 4 pcs

CARD ID LEVEL MANAGEMENT



Master (Unlimited)



Usual user (Unlimited)



MOBILE APPLICATION FEATURES







Send e-Key


Data Record



Remote Access

• Open lock through smartphone from anywhere on earth


Lock setting can be managed remotely, without the need to even touch the lock



ELC 9318 MF PASS BT









ACCESS



Fingerprint



Password



Mifare card E-KTP, Flazz, E-Toll Pay Wave, etc.



Remote Control

FEATURES



Verification Mode



Low Power Warning (Micro USB backup power)



Total 100 ID



Battery Power AA Alkaline 4 pcs



Unlock History



Doorbell



Anti Peeping Code



Always Open



OLED Display

CARD ID LEVEL MANAGEMENT



Master



Usual user



ELECTRONIC LOCK GLASS ELG 9107 MF FIN PASS RC

EMERGENCY POWER INTERFACE

Can be temporarily activated with powerbank
if power runs out.










Scan for installation guide or visit dekkson.com/ERC-9308





SPECIFICATION HANDLE



ACCESS



Bluetooth



Password



Mifare card E-KTP, Flazz, E-Toll Pay Wave, etc.

FEATURES



Mobile APP support
App Store
App Store



Doorbell



Access Sharing



Data Record



Long Range Mobile Phone Lock System



Power Input 12VDC



Real Time Notification Records



Anti Peeping Code

CARD ID LEVEL MANAGEMENT



Master (Unlimited)



Usual user (Unlimited)



ELECTRONIC READER CONNECTION 9308 MF PASS BT









Push Button

Gateway (optional)

MOBILE APPLICATION

Magnetic Lock or Drop Bolt

Door Bell

FEATURES



Send e-Key
 Share mobile apps access
directly to guest's smartphore

Data Record Access Record

All access is recorded

by the apps

> Attendance Arrival, departure, lateness of users/guests can be seen through the apps



Remote Access

Open lock through martphone from anyw on earth




Send e - Key

Data Record

ERC 9308

requires gateway, wifi router and connected smartphone to allow remote features





ERC 9308 MF PASS BT







ENERGY SAVING SWITCHES & DOOR BELL



ES SWITCH 808 NEW Energy Saving Switch

LKL 19 TM 01

Locker lock TM Dekkson



DB 3 IN 1 Door Bell Switch with "don't disturb & make up room"



Open Door Switch



Power Supply DC 12V 3A NO/NC

CABINET LOCK





CTC FOR LKL 19 TM Contactless card for locker lock



CKH ID1 TRIANGLE Contactless key holder ID 1



CKH ID2 OVAL Contactless key holder ID2

SAFETY BOX SB 420

420 (L) x 225 (H) x 380 (W)



FEATURES:

- Solid safe body, Strong configuration, high strength and high quality steel plate ramming to shape
- Convenient to use
- Different level management
- More safety

ELECTRONIC LOCK DOOR SWING DIRECTION









PROJECT REFERENCES





HOTEL ASTON, BATAM



HOTEL AVENZEL, CIBUBUR





HOTEL YELLO, JAKARTA



LOR INN SYARIAH HOTEL, SOLO



BEST WESTERN CAWANG, JAKARTA



CO CONTRACTOR OF THE PARTY OF T

DKS/EL/SEM1/202